



MEMORANDUM
TOWN OF PONCE INLET FIRE RESCUE

THE TOWN OF PONCE INLET STAFF SHALL BE PROFESSIONAL, CARING, AND FAIR IN DELIVERING COMMUNITY EXCELLENCE WHILE ENSURING PONCE INLET CITIZENS OBTAIN THE GREATEST VALUE FOR THEIR TAX DOLLAR.

TO: Jeaneen Witt, Town Manager

FROM: Chief Dan Scales

DATE: July 10, 2014

SUBJECT: June 2015 Shift Reports

I am attaching reports from each shift as to their individual activities for the month of June as well as a monthly report from the Fire Marshal and Operational Volunteers.

Below is the breakdown of call types from all three shifts for the month of June 2015.

Please feel free to contact me if you would like to discuss any items listed on the various reports.

| Description | Count |
|--|-------|
| Building Fires | 1 |
| Vehicle Fires | 0 |
| Marine Vessel Fires | 0 |
| Trash Fires | 0 |
| Brush/Grass Fires | 0 |
| Other Fires | 1 |
| Total Fires | 2 |
| Total Overpressure Rupture, Explosion, No Fire | 0 |

| | |
|---|----|
| EMS Calls | 22 |
| Total Transport Calls (included in EMS Calls) | 17 |
| Transported to Daytona Beach Halifax | 8 |
| Transported to Port Orange Halifax | 9 |
| Transported to Bert Fish Memorial, NSB | 0 |
| Transported to Ormond Memorial | 0 |
| Other Medical Incidents | 5 |
| | |
| Total Hazardous Conditions (No Fire) | 2 |
| | |
| Cover Assignment, Standby, Move up | 0 |
| Other Service Calls | 6 |
| Total Service Calls | 6 |
| | |
| Total Good Intent Calls | 5 |
| | |
| Malicious False Alarms | 0 |
| System Malfunction False Alarms | 1 |
| Unintentional False Alarms | 4 |
| Other False Alarms | 0 |
| Total False Alarms | 5 |
| | |
| Total Severe Weather & Natural Disaster | 0 |
| | |
| Total Special Incident Type | 0 |
| | |
| Grand Total | 42 |



MEMORANDUM
TOWN OF PONCE INLET FIRE RESCUE

THE TOWN OF PONCE INLET STAFF SHALL BE PROFESSIONAL, CARING, AND FAIR IN DELIVERING COMMUNITY EXCELLENCE WHILE ENSURING PONCE INLET CITIZENS OBTAIN THE GREATEST VALUE FOR THEIR TAX DOLLAR.

TO: Chief Scales
FROM: Lieutenant George
DATE: July 07, 2015
SUBJECT: June 2015 Shift Report

Completed Projects:

1. Monthly EMS checks R-78 and E-78
2. Fire inspections
3. Battery charger replaced on E-78
4. New batteries for E-78
5. Assisted with employee cookout
6. Ran and fueled small engines
7. Plan Reviews

Ongoing Projects:

1. Target Safety
2. Fire Inspections / Pre-fire safety walk through

Upcoming Projects:

1. Fire Hydrant Maintenance
2. EMT / Paramedic Renewals

New Equipment put in service:

1. 1,000 ft of LDH
2. New fire nozzle

Completed Training:

1. Web PCR training
2. Firefighting training
3. Wildfire training
4. Driver's training
5. Volunteer training

Upcoming Training:

1. Water Rescue



MEMORANDUM
TOWN OF PONCE INLET FIRE RESCUE

THE TOWN OF PONCE INLET STAFF SHALL BE PROFESSIONAL, CARING, AND FAIR IN DELIVERING COMMUNITY EXCELLENCE WHILE ENSURING PONCE INLET CITIZENS OBTAIN THE GREATEST VALUE FOR THEIR TAX DOLLAR.

TO: Chief Dan Scales
FROM: Lt. Mike Young
DATE: July 9, 2015
SUBJECT: June 2015 Shift Report for "B" Shift

Completed Projects:

- Assigned pre-fire update and property checks completed

Ongoing Projects:

- Target Safety modules and daily activities logging
- EMS supply inventory, organization and ordering
- Daily vehicle, station and equipment maintenance
- Quotes and ordering new EMS equipment

Upcoming Projects:

- None

New Equipment Put in Service:

- Installed new batteries in Engine 78

Completed Training:

- Target Safety modules

Upcoming Training:

- Daily Physical Fitness Training
- FF Steffen, Pump Operator Certification class



MEMORANDUM
TOWN OF PONCE INLET FIRE RESCUE

*THE TOWN OF PONCE INLET STAFF SHALL BE PROFESSIONAL, CARING, AND
FAIR IN DELIVERING COMMUNITY EXCELLENCE WHILE ENSURING PONCE
INLET CITIZENS OBTAIN THE GREATEST VALUE FOR THEIR TAX DOLLAR.*

TO: Chief Daniel Scales
FROM: Lt. Susanne Williams
DATE: July 1, 2015
SUBJECT: June 2015 C Shift Report

Completed Projects:

- Small engine maintenance and repair
- EMS and ACLS drugs restocked.
- Quality Assurance
- QM Orders and distribution
- Purchased 5" hose
- New tires on R-78 and FM-78
- New battery tender for E-78
- New Nozzle on E-78 placed in service

Ongoing Projects:

- EMS Quality Assurance
- Small engine
- Truck Maintenance
- Quarter Master
- LP Transmissions
- Revamping QA Process
- 5" recoupling
- Pre Fire Plans
- Fire Operations projects
- E-178 at 10-8 for new pump
- Firehouse data input

Upcoming Projects:

- Pre Fire Plans

Completed Training:

- EMS training
- Driver's training.

- Target Safety
- Equipment Training
- Physical training
- Trained SDFD on EPCR Program
- Rope training

Upcoming Training:

- Target Safety
- Physical Training
- EMS Training
- Policy review
- Ropes training



MEMORANDUM
TOWN OF PONCE INLET FIRE RESCUE

THE TOWN OF PONCE INLET STAFF SHALL BE PROFESSIONAL, CARING, AND FAIR IN DELIVERING COMMUNITY EXCELLENCE WHILE ENSURING PONCE INLET CITIZENS OBTAIN THE GREATEST VALUE FOR THEIR TAX DOLLAR.

TO: Chief Scales
FROM: Lieutenant George
DATE: July 07, 2015
SUBJECT: June 2015 Fire Marshal Report

Completed Inspections:

- 4561 S. Atlantic Ave # 204
- 4525 S. Atlantic Ave # 1105

Plan Reviews:

- 4460 S. Atlantic Ave.
- 4555 S Atlantic Ave Lanai Enclosure

Business Tax:

- *Completed several miscellaneous Business Tax Receipts*

Pre-construction / Fire Marshal meetings:

- Meeting with contractor , Tom Binzey regarding construction at Towers

Miscellaneous:

- Refilled pressurized fire extinguisher

George on 72hrs of scheduled personal leave during the month.



MEMORANDUM
TOWN OF PONCE INLET FIRE RESCUE

THE TOWN OF PONCE INLET STAFF SHALL BE PROFESSIONAL, CARING, AND FAIR IN DELIVERING COMMUNITY EXCELLENCE WHILE ENSURING PONCE INLET CITIZENS OBTAIN THE GREATEST VALUE FOR THEIR TAX DOLLAR.

TO: Chief Dan Scales
FROM: FF/PM Kyle Oberst
DATE: July 8, 2015
SUBJECT: June 2015 Operational volunteer monthly report

Activity Log

Dakota Ramos - 24 Hours

- Standby, station duties, small engine checks, training

Igor Kojadinovic - 0 Hours

- Job conflicts; excused

TJ Martin - 0 Hours

- Temporary inactive status due to an off duty injury.

Adam Sarwi - 24 Hours

- Truck check, stand by, station tour, Hydrant training, workout, 2 EMS calls



MEMORANDUM
TOWN OF PONCE INLET FIRE RESCUE

THE TOWN OF PONCE INLET STAFF SHALL BE PROFESSIONAL, CARING, AND FAIR IN DELIVERING COMMUNITY EXCELLENCE WHILE ENSURING PONCE INLET CITIZENS OBTAIN THE GREATEST VALUE FOR THEIR TAX DOLLAR.

TO: Chief Scales
FROM: D/E Brooks
DATE: July 9, 2015
SUBJECT: June Monthly training report

- **Aggregate Completions Report**
- Report executed 07/09/2015
- Users: 9 selected users
- Assignment Type: All Assignments
- Completion Dates: From 06/01/2015 To 06/30/2015

| First Name | Last Name | Employee ID | Completions | Tag | Duration (hours) |
|------------|-----------|-------------|-------------|--------------------------|------------------|
| Chris | Ballinger | PI447 | 48 | TOTAL | 40.89 |
| Chris | Ballinger | PI447 | 0 | not tagged | 0 |
| Chris | Ballinger | PI447 | 3 | ems | 5 |
| Chris | Ballinger | PI447 | 21 | company training | 6.89 |
| Chris | Ballinger | PI447 | 1 | officer training | 1 |
| Chris | Ballinger | PI447 | 19 | driver/operator training | 23 |
| Chris | Ballinger | PI447 | 4 | hazardous materials | 5 |
| Chris | Ballinger | PI447 | 0 | recruit training | 0 |
| Chris | Ballinger | PI447 | 0 | driver training | 0 |
| Chris | Ballinger | PI447 | 0 | facility training | 0 |
| Chris | Ballinger | PI447 | 0 | apparatus checks | 0 |
| John | Brooks | 322 | 39 | TOTAL | 33.48 |
| John | Brooks | 322 | 0 | not tagged | 0 |
| John | Brooks | 322 | 0 | ems | 0 |
| John | Brooks | 322 | 18 | company training | 6.48 |
| John | Brooks | 322 | 3 | officer training | 3 |
| John | Brooks | 322 | 18 | driver/operator training | 24 |
| John | Brooks | 322 | 0 | hazardous materials | 0 |
| John | Brooks | 322 | 0 | recruit training | 0 |
| John | Brooks | 322 | 0 | driver training | 0 |

| | | | | | |
|--------|--------|-------|----|--------------------------|-------|
| John | Brooks | 322 | 0 | facility training | 0 |
| John | Brooks | 322 | 0 | apparatus checks | 0 |
| Derek | George | 303 | 18 | TOTAL | 12.65 |
| Derek | George | 303 | 0 | not tagged | 0 |
| Derek | George | 303 | 0 | ems | 0 |
| Derek | George | 303 | 8 | company training | 3.15 |
| Derek | George | 303 | 7 | officer training | 7 |
| Derek | George | 303 | 3 | driver/operator training | 2.5 |
| Derek | George | 303 | 0 | hazardous materials | 0 |
| Derek | George | 303 | 0 | recruit training | 0 |
| Derek | George | 303 | 0 | driver training | 0 |
| Derek | George | 303 | 0 | facility training | 0 |
| Derek | George | 303 | 0 | apparatus checks | 0 |
| Cheryl | Herren | 321 | 37 | TOTAL | 41 |
| Cheryl | Herren | 321 | 0 | not tagged | 0 |
| Cheryl | Herren | 321 | 0 | ems | 0 |
| Cheryl | Herren | 321 | 12 | company training | 3 |
| Cheryl | Herren | 321 | 0 | officer training | 0 |
| Cheryl | Herren | 321 | 24 | driver/operator training | 37 |
| Cheryl | Herren | 321 | 1 | hazardous materials | 1 |
| Cheryl | Herren | 321 | 0 | recruit training | 0 |
| Cheryl | Herren | 321 | 0 | driver training | 0 |
| Cheryl | Herren | 321 | 0 | facility training | 0 |
| Cheryl | Herren | 321 | 0 | apparatus checks | 0 |
| Kyle | Oberst | PI338 | 30 | TOTAL | 24.65 |
| Kyle | Oberst | PI338 | 0 | not tagged | 0 |
| Kyle | Oberst | PI338 | 1 | ems | 1 |
| Kyle | Oberst | PI338 | 17 | company training | 6.15 |
| Kyle | Oberst | PI338 | 0 | officer training | 0 |
| Kyle | Oberst | PI338 | 12 | driver/operator training | 17.5 |
| Kyle | Oberst | PI338 | 0 | hazardous materials | 0 |
| Kyle | Oberst | PI338 | 0 | recruit training | 0 |
| Kyle | Oberst | PI338 | 0 | driver training | 0 |
| Kyle | Oberst | PI338 | 0 | facility training | 0 |
| Kyle | Oberst | PI338 | 0 | apparatus checks | 0 |
| Kevin | Scheer | 304 | 60 | TOTAL | 44.38 |
| Kevin | Scheer | 304 | 0 | not tagged | 0 |
| Kevin | Scheer | 304 | 11 | ems | 19 |
| Kevin | Scheer | 304 | 33 | company training | 11.88 |
| Kevin | Scheer | 304 | 0 | officer training | 0 |
| Kevin | Scheer | 304 | 16 | driver/operator training | 13.5 |
| Kevin | Scheer | 304 | 0 | hazardous materials | 0 |
| Kevin | Scheer | 304 | 0 | recruit training | 0 |
| Kevin | Scheer | 304 | 0 | driver training | 0 |
| Kevin | Scheer | 304 | 0 | facility training | 0 |
| Kevin | Scheer | 304 | 0 | apparatus checks | 0 |

| | | | | | |
|---------|----------|-------|----|--------------------------|-------|
| Pete | Steffen | PI446 | 61 | TOTAL | 58.72 |
| Pete | Steffen | PI446 | 0 | not tagged | 0 |
| Pete | Steffen | PI446 | 6 | ems | 12 |
| Pete | Steffen | PI446 | 24 | company training | 8.22 |
| Pete | Steffen | PI446 | 1 | officer training | 1 |
| Pete | Steffen | PI446 | 28 | driver/operator training | 34.5 |
| Pete | Steffen | PI446 | 2 | hazardous materials | 3 |
| Pete | Steffen | PI446 | 0 | recruit training | 0 |
| Pete | Steffen | PI446 | 0 | driver training | 0 |
| Pete | Steffen | PI446 | 0 | facility training | 0 |
| Pete | Steffen | PI446 | 0 | apparatus checks | 0 |
| Susanne | Williams | 320 | 22 | TOTAL | 10.75 |
| Susanne | Williams | 320 | 0 | not tagged | 0 |
| Susanne | Williams | 320 | 0 | ems | 0 |
| Susanne | Williams | 320 | 12 | company training | 2.75 |
| Susanne | Williams | 320 | 6 | officer training | 6 |
| Susanne | Williams | 320 | 4 | driver/operator training | 2 |
| Susanne | Williams | 320 | 0 | hazardous materials | 0 |
| Susanne | Williams | 320 | 0 | recruit training | 0 |
| Susanne | Williams | 320 | 0 | driver training | 0 |
| Susanne | Williams | 320 | 0 | facility training | 0 |
| Susanne | Williams | 320 | 0 | apparatus checks | 0 |
| Mike | Young | 319 | 36 | TOTAL | 20.89 |
| Mike | Young | 319 | 0 | not tagged | 0 |
| Mike | Young | 319 | 0 | ems | 0 |
| Mike | Young | 319 | 23 | company training | 7.89 |
| Mike | Young | 319 | 6 | officer training | 6 |
| Mike | Young | 319 | 7 | driver/operator training | 7 |
| Mike | Young | 319 | 0 | hazardous materials | 0 |
| Mike | Young | 319 | 0 | recruit training | 0 |
| Mike | Young | 319 | 0 | driver training | 0 |
| Mike | Young | 319 | 0 | facility training | 0 |
| Mike | Young | 319 | 0 | apparatus checks | 0 |